

HARVARD UNIVERSITY.




LIBRARY

OF THE

MUSEUM OF COMPARATIVE ZOÖLOGY

CIET OF

Harrierd collège lebrary




BOUGHT WITH

THE BEQUEST OF

JAMES BROWN,

OF WATERTOWN

(Pec 10 june 18:8



	÷		
30 .			
4.			
£ .		,	
1 8			
		< x	
			12

MEMORIE CONTROL STORIA E NOTOMIA E NOTOMI

Degli-Animali senza Vertebre

DEL REGNO DI NAPOLI

DI STEFANO DELLE CHIAJE

(Figure




NAPOLI

Trans. to Mus, o: Courp. 2001.


da.

....




1-8. Hirudo medicinalis 9-11 H. sanguisuga 12-13 Hvulgaris 14 H. muricata

HA TO THE TOTAL TO



1.6. Clio Imati. 9-15. Planaria ocellata. 16-18. Acetabulum meditorraneum indice 19. Polyphysa rubescens. 20. Soricella Cavolini. 21-26. Testaceorum ova. 27. Ascaris Cheloniae




Eassiopou Borbonica.

A. dich an

do toro inc.


14.5

-



Siphunculus balanophorus.

E TY





Aplysia leporina .

I. T.


.

.






1. 8. Aplysia leporina :



A' Siefeo dis.


Aprimia l'operina .

C4 ... in MA USA




1. Holothuria Poli - 2. H. Landori.






1. Holothuria Carolini - 2. H. Stellati.




1. Holothuria tubulova.

HA TY CALL TO FILL A

.




4. Holothuria Petagnac - 6. H. Columnac -




1.7. Doridium . Mechèlii _8_11. Siphunculus echinorhynchus_12.-20. Pleuro- phyllidia neapolitana.

YTE ARU FM . 1000




Jaenia Solium.






Doridium Aphysiacforme



M. Sint div.


Levetrachea lophyra.

Victore inc .




Revotrachea lophyra.

LANCE DEL MA USA




2.2. Tricocephalus acetabularis-4-9 A. crassicornis-20.2. 1. pedanculata-20 4. effecta

P 7 Cris WassA




Moderation of the State of Madrepora calycularies - 10-15. Tystema aquaticum -10-23. Moyonium vermiculare, ym.

HA Y



1 Asterias exigua. 3. A. pentacantha. 4. 1. Jonstoni 5. 1. echinophora. 6. A. Savaresi.


HAR CAMBRIDGE. MA USA



A. Siesto dis.

. Asterias aranciaca


TO TON DIE DE A



A. Siesto del.


1. Asterias ophiara.-11. A. bispinosa, var.-12. A. cordifèra.

e iy Comence van SA




5.6. Asterias subulata .-- 7-11. to Tenorii





1-9 Echinus Cidaris-11-22 & neapolitanus.

Br. Contain to MiningA




Continue encucentus, s



,

.

.




13. Echinus saxatilis. - 16. E. neglectus.


XIII AEU AR Dan, 1 L

A

.




Echinus spalagus




z.Echini esculenti, B.E. spatagi sanguinis circulus.

Cartaniose 10- SA



18. Vereis gigantea. 9-16. 1. Euferen.






8. Sércis scolo pendroides.- 9. Spio quadricornis.- 20 L'eaudatus.-11. S. coccincus.-12 L'eentilabrum 19. Vito bipunctuta.-20. V. de Horutiis.


CAMUNIDGE MA USA

Jav. XX VIII.




A Siesto dis 1 . Poli i silchunculus - 4. P. delineata-8-20 Lumbricus fragilis- 21-26 Liphonostomic


YTY.



A. Siegeo dis. The Second Standards Section of Lumbricus radiatus 5 L. pusillus 6-22. L. torrestris - 23,24 L. marinus 25.26 Setinia aurantidea




Pennatula i spinosa, 4 grisca, 7 rubra, 15 jespherea.




Lobularia i palmata, 2 spinulosa Folydinum 12 septosum, 18 saturnium 11. Aplidium arcolatum 18 Tyrosoma yigantea, 21 Brever orutus. Ppengia 25 angulesa, Petulosa 25.

H CAMBRIDGE, MA USA




12, Corallium: rubrum 4-7. Gorgonia verrucosa. Collepora urceolata 8-9, muricata 10, melobesia 11, spongetos 21,22. Plexaura rigida 12,13. Millepora. truncata 16-17, ovata 18-19, coriacoa 20-22 cernivornis 23.

P. Chironicos. Ma 184



Asterius, 1 seguamata, 5 echinata, 9 tricolor, 12 Teru bacii, 15 pentagona , 17 Cuvieri .


μ C- , , A



Cellepora hyalina 1-3, perlacea 1-5, Rosselii 7-8, Nucry 5-10, imbricata 11-12, labiata 13-14. Larrey 15-10, personata 17-8, Ronchi 19-20, restrata 21-22, laber culuta 23-24 ciliata 25 20. Prolineae 29-30, coronata 31-32, ovoidea 33, magne villana 34-35


Ç

FIX CAMBRIOGE, MA 1,84



r Molothuria penicillus, 4 tetraquetra, 8 Q oliclum, 6 jusus, 10 triquetra. Taenia ochinorhynca 13. Notinia Rendeletii 18, carciniopados 23, h 17alina 24. Planaria siphunculus 26 27, luterla 28, tuberrubeta 29-30.






1-4 Sountha Ellisii Botryllus aureus 3, resuceus 7, stellutus 12. Leachii 14, ciliatus 17, niveus 18. Polycyclus Renieri 10, clengutus n. Aplidium lobatum 20. Didermum reseum 21, eundidum 26. Enceclium reseum 22, subjeta tinosum 23-25. Polyclynum nodosum 27, vesiculosum 28. stellutum 24.

() ITY. CAMBRIDGE, MA USA




Astronosta Alubularia un nulata 2,8 Pherus a takuk sa. 12 Emerliana heropitiolam Ipongia macalake is 1800a 7, meniata 8, reticularij 3, sukplicate e seavruloa n. reskulosa 13. jietulosa (n. 13. injlate sei 17. jurpavoa 19. ocylea dravoa (20. 2) tera agalesaig 2. s. (mpercati (8, 28.

E. TY. CAMENINGE, MA USA



ris i Trgo, & testudinaria; is verrucera, iô peregrina, 21 tuberculata, 24 lind.

. CAMBRIGE MA USA




1. Pleurebranchus tuberculatus, 11 L'heurebranchidium Meckelii -



-


.

.




1 Devotrachea lophira. 11 Meurobranchus Torshickli.

MATALOGE, MATUSA



1. Natis proboscidea Liembricus 2 Rolandi, 3 coccinent, 1 Paint-Milaire, 5 naidensis. Netris 6 Ochenic, 7 Otto, 8 Blainvillii, 14 Fiodemanni. Pabella denudata 18 Lucullana 23.50


TY.




Amphitrite Offersii s. Vesidensis 2-3, neapolituna 4, florence 3. Polia 7 et a panetata 8 valuta, g cueralescens, se geniculata. Vereis Edwardsii 12, Rudolphi 13-14. sextent aculata vi

YT RE.

.




. L'éreis 2 parthenopeia, 2 Bertoloni.




Lumbricus filigerus 1. Amphitrite Tondi 2.00. Meckelii 10. Clymene amphietoma 3. Tpio filicornie 6. Nereis Ranzani 3. Distemu variekerum 19. Acidia prunum 18. mamilharis Insinkotinalis 18. a 21. mierocesmus 28. rustica 28.

HATOL HATOL HATY




i initiativum papillosae 1, phuseue 2, munillutur 5, microcorni 10 anatomi. 19 i in va 10. Tethya Lyncu vium 19.

er :Y




1 Mydra verticillata Ligaretus Adansonii 3-4,nevitoideus 5,18,21 Gleba eccisa 8. Palpa cyanea 12,democratica 14 15. Firola hyalina 13. Ascidia papillosa 22.




1. Voluta mercatoria. Buccinum 2 riparium, 1 Dermarctsianum var. 3,5 pygmacum. 6-7 corniculum, 1 neriteum, Turbo Rissoanus w-uacicula 12. Lemani 18-1,1, lamellosus 15-16 Nerita dubia 17-18. Perpula fimbriata 19. Pabella cuplacana 21. Codonytos infundi = bulum 23-26 cardunculus 24-28. Millepora miniata 29. Cellaria ce voidés 38.

M CANDO LE M SA




13 Conus siculus. 4-6 Voluta striata, 7-9 D. avyolasi Murov 10 11 lavatus. 12 11, Volincae. 15-16 erinaceus, 17-19 Mussenae, 26-28 mamillatus, 20-31 Metavá, 32-34 Pavognam Turbo 20-22 Borgus, 23-24 Trominvilleus. Melix littorina 36 38 Serpula torutosa. 35 infundibulum 40

TY SA



1,2 Rippopus excisus. 3,5 Rhizophysa filijormis. 4,6 Physophora hydrostatica. 7,8 Rephano mia phiava. 4,72 Racomis evalis.






2 : Hoynee jajittesa. 5,6 : Aplys inploras neapolitanas, 7: Mania raji se. Melobesia ar nara.


Y Company of the State of the S

•




r Beree oratus, 2 Costum L'eneris.

tan.




1 Corallina rubens. 2 Collaria salicornivides. 5 Stylaricides monitiferas. Comatala Adeonac 8 mediterranca 13.




Terede navalis 4, Bruguieri 6, bipalmata ; Cetopus macropus 26.

	h_{r}	*3 * {;		




Cotopus luberculatus.

CAMINGDOL MA USA




CAMBRIDGE. MA USA



Octopus moschalus 1, Balanoglossus clavigerus 3. Bulla hydatis 7. Eumelpe squamutu 8. Oliva carneola 10,21: O. variolosa 20,5,72. Ocdonytes squamata 18.


CAMBRESC, en c**SA**

.




Sepia officinalis, Letigo sepiela se.

CAMBRIDGE, MA USA




L'oligo subulatar, communis 2, sugittata 3.

ECAMBARDGE MA US**A**




Letigo tedarus.

t Y CAMERIC ST TV SA




Cephalopodum viscera.

CAME TO SA





164 Ligavetus Morelli. 5 Fabella infundibulum? 6,7 Ophyocophalus murenoides. 6,12 Fubu bunus polymorphus, 3 Cerebratulus bilineatus. was blemya mediterrenca. 8 Romarpis thalas meides. 15 PCA thuridium papillosum. 20 Pritonia Thethyoloa






Cerallina efficinalis 1, palmata 11. Sercis Pareti 3, viltata 12. Gerdius pusillus o. Lumbricus cirratu . lus di Gergenia juncea 15. Sertularia fastigiatare, parasitica 17, novitina 26, geniculata 28.






P. Communication of the state o




Gergenia ceratophyta wiminalis 2. Carryophyllia ramca 5. Julija pinnata 5. Julias daetyleides 6.

.




1 Medusu pelagica 2 Aleyenium pyrijerum. Ppengia elathreider šedichetemu el lelia ru diata 6, Neveis Gethycola 5.Caryophyllia fascicularis 7.14

.




- Cellepera pumicosa 2 Istorias - c*un cellula - 2. Retepera p*ivosita 7, cellulosa 8, premiseu Lata 13. Lerpula trugiatroidos 15. stabulipera _pinckria 20.



Ophiara 15 macalata 2 anceps. Gatangus gibbus & Ipengia jeveclaria 9.w. Sphrodita aculerta .


YI TERMINAN MARINAN MA



Pterotrachea i coronata, Friderici. Folarchus Cuvieri & Patella vulgata & Poluta rustica in o.n.




,




Tremoctopus violaceus.

H' '




increso. 1,11 Sepiola macrosoma.10 Tremoctopus violaceus. 13,12 Edinorhyndus todari:14 Distoma ledari:16 Monostoma sepiolac.




. Ortopus tetrucirrhus.

HAT KAMBRIDGE MA CHA




1.2 Proporea Rissoana. D'ianaeu pileata 3-5, D. proboscidalis o Cuphrosine laureata 6.8.4crussacia Gronoviana n. Culima subulata 10,12 Cupraeu cecinella 13. Planaria Mullori 14 15.

RC TTY CAMBRIGGE MA USA



ı Dianaca lucullana.nRhizostomaAldrovandi.


Contact of the




Anatome Rhizostomatis Aldrovandi

	·	Y	
		A	






Physalia cymbiformis. 2 Physophora rosacea? 3,4 Cymbulia Perenii 3 Poliolum mediterraneum 5, papillosum 6, sulcatum 7. Spongia mesenterina 8.




no.1889 Distoma fuscum. 4-6 Polyclinum diazona. Fusus clavatio. Endavid communis.10 Sygaretus flavus.n. 12 Pileopsis Garnotii.13 Sornatella fasciata.1, 16 len coarctatus.15 Aplysia punctata B.

H/ Y NATIONAL STATES A




1,13 Planaria aurantiaca.4 Polia geniculata. 5,6 . Amphitrite auricoma Loris tuberculata n.15.D. grandiflora 2,18.





1. Aurelia aurita. 4 Salpa maxima. 5, 6 Polynoë lunulata!


HA CALLER STEEL



1 H yalea tridentata. 3 Lumbrinerus siphedonta. 4,5 Sigalien arenosum. 6 lancellaria cancellata o.w. Hiatella striolata. 11, 12 Loanthus arenaceus. 13, 14, 17 Turbo ? costatus. 15, 20 Ostroa pragilis 19 Ictinia elengata. 21, 24 Terebratula detruncata. 23 Deridium aplysiaejormis 3.


HA CAN I d

•




Reorgonia Rissoand. 3 Cardium papillosum. 6 Cha . . . ariegala o techisca violaria.







Leviantheis cornucopiae 1, 18,21. Valades Cantrainit. 20. Inciplus fluviatilis 24 Heisene sient.

t Y Sor A



5.6 Mangelia Poli. Clerdora lanccolala 7.8 Couspidata o n. Pupa tridens 12,13, P. quadridens 16 17. 19 le Noma patulum 18.24. Claragella sivula 19.23 Tritonium Bonanni 26 28. Helix retundata 15 25 24.






rias rosacea. Molluscum Clavagellac siculae 18, 23, 22 et Veneris rudis 19.



1,2 (vula triticea 3.4 Helix elegans 6 9 Pupa lucana; 5,0, 11 P. marginata 20,35 Physa hypnorum. 12,13 Pleurotoma echinata, 19,25 P. oblonga 28, 20 Calyptraea sinensis, 2,6 murauta, 17,21 Piloopsi kungarrani 2 Constructiona ameiformis 23 Cardium striatulum 24 Rupura hacmastoma 27,28 Cerithium acquiptiacium.


CAMBELL SA

• •



12 Clausilia inflata.3,6 Pissoa acicula,25,31 R. Montayni.5, u Dentalium dentalis.7,8 Truncetella lacriga.
ta.9 Tellina papyracea; 20 T. coruscans, 35,43 F. parthenopaea. 29,30 Venus cancellata. 33,33 Helix rupestris.
34,38 Buccinum peloritanum 3,9,42. Murer postdiluvianus. 40,41 Bulla convolata.


A A



Systema vemosum Octopi vulgaris.

:7Y + . SA

,




Systema arteriosum Octopi vulgaris.

inc. 1830.

C SA


,



Systema venosum Popiae officinalis.


CARLODA, A SA

•



Systema arteriosum Sepiae officinale.


Ton Service SA



3. Systema venosum Loliginis vulgaris

Inc/830.


TY A



Systema arteriosum L'oliginis valgaris i Polystoma 2, Monostoma 3 et Amphistoma 4,5 Loliginum.


PT CAMBRIDGE HA CSA

•




Systema venosum Loliginis sagittulae.

YTT



Systema arteriosum Loliginis sagitlatae:


Hot thospy TY



Systema sanguineum ac nervosum Loliginio tedare pleri




•




Inc. 1850. I Lleurobranchus Peronii? 4 Spongia clathrato-hyalina. 67 Rissou canaliculata. & Holothuria Planciana. Il Sigulion squamosum. 14 Amatoma Sepiclae macrosomatis.

(5**A**




Systema venosum Cetopi tetracirchi, 2 Panereas et nervi Letiginis tedari, 3 nervi L. sagittatae, 4 Atramentarium C. meschate




Hepar, pancreas ac atramentarium Cophalopidum.







Anatome branchiaeum et oculi i cinali, unit.

,, (.,		




Systema nervosum Sepiae officinalis.




Systema nervosum Loliginia communis. 

Actinia bellis 1, A. Aurantiaca 6. Cerianthus Brerae 2, C. Cornucopiac 8.



North marina 2-4, Poliana u.Phasia nella pullaz 8 in Mangelia. Pleurobranchas occilatio 0,76; P. stellatus 12, P. aurantiacus 17,21. Aplysia punctala 19. Doris Scacchi 14, D. gracilis 22,23.


HAT CAMBINACE BY 1994



Amotome Pelagiae denticulatue nue Aureliae auritae 2. Hoyla trigena , Calpa pentagena ?


CAMO NOUL NOUA

.




1,2 Clausilia teres. 4,5 Felix conoidea. Venus Lysera ô, Cyrilli u. 7,13 Cyclostoma truncatulu m.o.22 C. maculosumso, 23 Achatina aciaula. 15 Callianira diploptera. Terebratula neapolitana 8, 16-18; 1. truncata 28. Salpa sculigera 21. Patella umbellata 26. Spondylur a mericanus 27.

Costs of DA




1. Asterias rubens. 2 Dovidium carnosum 3.3. Ascidia Mentula. 1,5,11 Flustra pyriformis. 10 Spongia...

	í 'e		
-			
		·	



Inc 2650. Planaria Diequemaris, P. violacea 20, P. flava 11. Limax ater 12, Laurestic 14, L. sylvaticus 16, L. variegatus 28.




Inc. 1830.

Anatome Limacum.







Date Due

